Permit #F00152535

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00152535 **Type of Permit:** FILMING **Release Date:** 06/04/2019

Production Company BEYOND THE PORCH PRODUCTIONS, LLC

Insured Company Name BEYOND THE PORCH PRODUCTIONS, LLC

Contact Phone No. 1 608-512-8185
Contact Phone No. 2
Fax
Address 555 W 5TH ST.
LOS ANGELES, California 90013

Production Title OPIOID PSAS

Type of Production Commercial - PSA

Producer Stephen Helstad

Director Edd Benda

1st AD Matt Mosley

Production Manager Mejee Lutcher

FilmL.A. Coordinator Naomi Kajiyama

Location Manager Stephen Helstad
Primary Phone Mobile - 608-512-8185
Secondary Phone Mobile - 424-355-3054

Location Assistant Mejee Lutcher
Primary Phone Mobile - 424-355-3054
Secondary Phone

Fees

Posting 300	$69.00
Notification Charge	$170.00
FILMLA NON-REFUNDABLE FILM APPLICATION FEE	$685.00
LA CITY FIRE DEPARTMENT SPOT CHECK SURCHARGE	$85.00
FILMLA MONITOR FEES	$512.00
FILMLA MONITOR FEES OVERTIME	$384.00
FILMLA MONITOR FEES - DOUBLE TIME	$128.00
CULVER CITY APPLICATION FEE	$165.00

Total Permit Fee $2,198.00

Number of Locations 2

NOT A PERMIT

Permit #F00152535

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00152535	**Location Manager**	Stephen Helstad
Production Company	BEYOND THE PORCH PRODUCTIONS, ...	Primary Phone	Mobile - 608-512-8185
Insured Company	BEYOND THE PORCH PRODUCTIONS, ...	Secondary Phone	Mobile - 424-355-3054
Production Title	OPIOID PSAS		

Location Address 3611 May St, Los Angeles, CA, 90066

Location Type Private Residence

Film Dates 6/5/2019 - 6/6/2019 08:00 - 20:00 2 days

Open or Closed to the Public Closed

Generic Conditions

*Certain service and personnel fees required by jurisdictional agencies are not collected by FilmL.A. Any such fees must be paid directly to the appropriate agency, and a separate invoice will be provided to the permittee.
FilmLA Monitor required at a minimum of four hours.
May not interfere with adjacent traffic lanes or adjacent bike lane
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic
Notify LAPD Pacific Division (310) 482-6334 and comm. (213) 978-6552 1/2 hour prior to any gunfire, brandishing weapons, special effects or simulated emergency or criminal activity.
Number of uniformed officers listed on the permit is a minimum requirement. Permittee remains responsible for deploying a sufficient number of uniformed officers to provide traffic and crowd control to ensure the safety of the film crew and the public.

Equipment on Location

Type	Quantity
5 Ton Truck	1
Fire Extinguisher (2A10BC Minimum Rating)	1
Picture vehicles	1
Vans	1

Personnel on Location

Type	Quantity
Cast	6
Crew	26
Extras	5
FilmL.A. Monitor (s)	1
Off-Duty/Retired LAPD Officer(s)	1

Filming Activities Camera on sticks; Emergency vehicles with flashing lights; Equipment on property; Equipment on sidewalk only.; Interior and exterior motion without sound; Interior Dialogue; FilmLA monitor required 6/5 0700-2000 hrs & 6/6 0700-2000 hrs ;

Jurisdiction **Political:** Los Angeles City - **Police:** Los **Fire:** Los Angeles City

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00152535	**Location Manager**	Stephen Helstad
Production Company	BEYOND THE PORCH PRODUCTIONS, ...	Primary Phone	Mobile - 608-512-8185
Insured Company	BEYOND THE PORCH PRODUCTIONS, ...	Secondary Phone	Mobile - 424-355-3054
Production Title	OPIOID PSAS		

	Council District 11	Angeles Police Department
Thomas Guide	**Page:** 672	**Grid:** B3
Approvals	FILML.A. MONITORS	Eric Warczinsky
	LOS ANGELES CITY POLICE DEPARTMENT	Gabriel Aleman
Parking	**Base Camp** Location Type : Filming Location	**Crew Parking** Location Type : Other Location — 3775 Grand View Blvd, Los Angeles, CA, 90066
Posting "No Parking" signs	W/S 100 FT IN FRONT OF LOCATION (50FT TO LEFT AND RIGHT)	
Approximate Footage	0 - 300	**Log Number** 243338
Date(s)	6/5/2019 to 6/6/2019	**Time(s)** 07:00 to 19:00

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00152535	**Location Manager**	Stephen Helstad
Production Company	BEYOND THE PORCH PRODUCTIONS, ...	Primary Phone	Mobile - 608-512-8185
Insured Company	BEYOND THE PORCH PRODUCTIONS, ...	Secondary Phone	Mobile - 424-355-3054
Production Title	OPIOID PSAS		

This location has been CANCELED

Location Address 8770 Washington Blvd, Culver City, CA, 90232

Location Type Club House

Film Dates 6/8/2019 - 6/8/2019 08:00 - 10:00 1 day

Open or Closed to the Public Open

Generic Conditions
All vehicles must be parked on private property
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
CULVER CITY: Must maintain emergency access
CULVER CITY: Must maintain local/emergency access
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic

Please see attached document SpotCheck-CCFD.pdf

Equipment on Location

Type	Quantity
Picture vehicles	1

Personnel on Location

Type	Quantity
Cast	1
Crew	5
Culver City Spot Check	1

Filming Activities Camera in car; Camera on sticks; Interior motion without sound; Filming inside a public parking garage (bottom floor, away from other vehicles); Talent rummaging through the glove box in stationary picture car. ;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Approvals

CULVER CITY FIRE DEPARTMENT	Steve Poelstra
CULVER CITY POLICE DEPARTMENT	Sergeant Brandon Vanscoy

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Location

Permit Number	F00152535	**Location Manager**	Stephen Helstad
Production Company	BEYOND THE PORCH PRODUCTIONS, ...	Primary Phone	Mobile - 608-512-8185
Insured Company	BEYOND THE PORCH PRODUCTIONS, ...	Secondary Phone	Mobile - 424-355-3054
Production Title	OPIOID PSAS		

Coordinator Note *LOCATION CANCELED PER S HELSTAD 6/4; CULVER CITY APPLICATION FEE STILL DUE*

Parking

Base Camp	8601 Hayden Pl, Culver City, CA, 90232	**Crew Parking**	8601 Hayden Pl, Culver City, CA, 90232
Location Type : Other Location		Location Type : Other Location	

NOT A PERMIT

Permit #F00152535

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

JEREMY DE BIE
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete the checklist each day before the start of filming. If a "NO" is indicated on any line item below, please halt filming. Correct and document the corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for the Culver City Fire Department review.

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			
Corrective Actions Taken:				

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			
Corrective Actions Taken:				

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			
Corrective Actions Taken:				

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Has the vendor or site manager obtained the proper permit for all tents over 400 square feet?			
2.	Are all tents properly permitted; secured; and provided with the required life and safety equipment including "No Smoking" signs, fire extinguishers and exit signs? Does the tent fabric bear the proper flame retardant (CSFM Logo)?			
3.	No interior smoking permitted; "No Smoking" signs posted and enforced			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustibles			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

PRINTED ON RECYCLED PAPER